



• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT



• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT
• KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT

OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI



OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI
OT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI • KNOT YAPI




PB-21

› **Safety harness** CE

› Standard : EN 361

› Size : □M, □XL, □XXL,

› Article No : 001



SAFETY HARNESS



safety harness



PT-31

› **Safety harness**

› Standard : EN 361 EN 358 **CE**

› Size : □M, □XL, □XXL,

› Article No : 005





safety harness



PTK-33

> Safety harness CE

> Standard : EN 361 EN 358 EN 813

> Size : □M, □XL, □XXL,

> Article No : 007



PTK-34

› Safety harness



› Standard : EN 361 EN 358 EN 813

› Size : □M, □XL, □XXL,

› Article No : 008





safety harness



PCT-36








> Jacket harness

> Standard : EN 361 **CE**

> Size : ☐ M, ☐ XL, ☐ XXL,

> Article No : 009







MRT-31-10

> Article No : 409



MRT-31-11

> Article No : 410



MRT-31-12

> Article No : 411



MRT-31-13

> Article No : 412



MRT-31-14

> Article No : 413



MRT-31-15

> Article No : 414



MRT-31-16

> Article No : 415





MRT-31-17

> Article No : 416



MRT-31-18

> Article No : 417





ELF - 34 - 28

> Article No : 427



ELF - 34 - 29

> Article No : 428



ELF - 34 - 30

> Article No : 429



ELF - 34 - 31

> Article No : 430



ELF - 34 - 32

> Article No : 431



ELF - 34 - 33

> Article No : 432



ELF - 34 - 34

> Article No : 433



ELF - 34 - 35

> Article No : 434



ELF - 34 - 36

> Article No : 435



GRE 38

- Standard : H15m, H20m
- Size : 38mm
- Article No : 500





belt harness



BT-12

> Belt harness

> Standard : EN 358 **CE**

> Size : ☐ M, ☐ XL, ☐ XXL,

> Article No : 017



BT-14

> Miner belt

> Standard : CE

> Size : □M, □XL, □XXL,

> Article No : 019



BT-13

> Miner belt

> Standard : CE


> Size : □M, □XL, □XXL,

> Article No : 018

HC-500

> Rescue Tripod Set


- > Material : Aluminium
- > Max Height : 2m., 2,4., 3m
- > Safety load : 150kg
- > Ağırlık : 12-14 kg.
- > Article No : 0022



RETRACTABLE LIFELINE



retractable lifeline





KNOT-STOP N

- › **Webbing width**
- › Standard : EN 360 **CE**
- › Webbing : 25mm, webbing width
- › Lenght : 10m., 12m., 15m.
- › Weignt : 4.3kg., 4.5kg., 4kg.
- Webbing braking : 2000kg up
- › Article No : 0023



KNOT-STOP S

- › **Webbing width**
- › Standard : EN 360 **CE**
- › Webbing : 25mm, webbing width
- › Lenght : 2.5m., 3m., 5m.
- › Weignt : 1.43kg., 1.45kg., 1.48kg., 1.55kg.
- Webbing braking : 1600kg up
- › Article No : 0024





KNOT-STOP 6

> Webbing retractor

- > Standard : EN 360 
- > Webbing : 20mm, webbing width
- > Length : 6m.
- > Weight : 1.6kg.
- > Webbing braking : 1600kg up
- > Article No : 0025



KNOT-STOP 15

> Steel cable retractor

- > Standard : EN 360 
- > Cable : 4mm width galvanize
- > Length : 15m.
- > Weight : 7.1kg.
- > Cable braking : 1600kg up
- > Article No : 0027



KNOT-STOP 10

> Steel cable retractor

- > Standard : EN 360 
- > Cable : 4mm width galvanize
- > Length : 10m.
- > Weight : 4.8kg.
- > Cable braking : 1600kg up
- > Article No : 0026



KNOT-STOP 20

> Steel cable retractor

- > Standard : EN 360 **CE**
- > Cable : 4mm
width galvanize
- > Length : 20m.
- > Weight : 9kg.
- > Cable
braking : 1600kg up
- > Article No : 0028



KNOT-STOP 32

> Steel cable retractor

- > Standard : EN 360 **CE**
- > Cable : 4mm
width galvanize
- > Length : 32m.
- > Weight : 12.7kg.
- > Cable
braking : 1600kg up
- > Article No : 0029



KNOT-STOP 3.5

- › **Webbing width**
- › Standard : EN 360 **CE**
- › Webbing : 26mm
- › Length : 3.5m.
- › Weight : 1.6kg.
- › Cable
braking : 1600kg up
- › Article No : 501




KNOT-STOP 15-Ş

- › **Webbing width**
- › Standard : EN 360 **CE**
- › Webbing : 25mm
- › Length : 15m.
- › Weight : 7.1kg.
- › Cable
braking : 2000kg up
- › Article No : 502



fall arresters



FALL ARRESTERS



fall arresters

UMT-15

› Fall arrester

- › Standard : EN 353/2 
- › Size : 12mm., 16mm.
- › Article No : 030

UMT-15Ş

› Fall arrester



- › Standard : EN 353/2 EN 355 EN 362
- › Size : 12mm., 16mm.
- › Article No : 031



fall arresters



UMT-14 ŞK

> Fall arrester

CE

- > Standard : EN 353/2 EN 355 EN 362
- > Size : 12mm., 16mm.
- > Article No : 034

UMT-14 K

> Fall arrester

- > Standard : EN 353/2 CE
- > Size : 12mm., 16mm.
- > Article No : 035

UMT-14

> Fall arrester

- > Standard : EN 353/2 CE
- > Size : 12mm., 16mm.
- > Article No : 0033

UMT-14 KKŞ

> Fall arrester

- > Standard : EN 353/2 CE
- > Size : 12mm., 16mm.
- > Article No : 503

OMR-21 K

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0036



OMR-23

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0039



OMR-21 KT

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0042



OMR-21 T

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0043



OMR-24

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0046



OMR-24

> Energy absorbing webbing lanyard

- > Standard : EN 355 En 362
- > Size : 1.20cm, 1.5cm
- > Article No : 0041



DVM-10

> Webbing lanyard

- > Standard : CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0048



DVM-11

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0049



DVM-12

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0050



DVM-13

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0051



DVM-14

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0052



DVM-15

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0053



DVM-16

> Webbing lanyard

- > Standard : EN 362 CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0054



BRN-31

> Webbing lanyard

- > Standard : CE
- > Size : 1.20cm, 1.5cm
- > Article No : 0056



OZG-1

> Rope lanyard

- > Standard : EN 354 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0062



OZG-2

> Rope lanyard

- > Standard : EN 354 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0063



OZG-3

> Rope lanyard

- > Standard : EN 354, En 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0064



OZG-5

> Rope lanyard

- > Standard : EN 354, En 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0067



OZG-6

> Rope lanyard

- > Standard : EN 354, En 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0068



OZG-7

> Rope lanyard

- > Standard : EN 354, En 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0069



SEN-1

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0070



SEN-2

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0071



SEN-5

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0074



SEN-6

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0075



SEN-8

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0077



SEN-9

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0078



SEN-10

> Energy absorbing rope lanyard

- > Standard : EN 354, EN 355, EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 0079



SEN-11

> Energy absorber

- > Standard : EN 355 
- > Size : 2.5m
- > Article No : 0083



SEN-12

> Energy absorber

- > Standard : EN 355 En 362 
- > Size : 2.5m
- > Article No : 0084



PYZ-08

> Energy absorbing twisted rope lanyard


- > Standard : EN 354 **CE**
- > Size : 1.5m, 2m, Ø12mm, Ø16mm
- > Article No : 0093



CN-14

> Lanyard

- > Standard : EN 354, EN 362 **CE**
- > Size : 1.20m, 1.5m, 2m, Ø12mm, Ø16mm
- > Article No : 0094



CN-15

> Lanyard

- > Standard : EN 353/2 EN 362 **CE**
- > Size : 1.20m, 1.5m, 2m, Ø12mm, Ø16mm
- > Article No : 0095



CN-18

> Life Line

- > Standard : **CE**
- > Size : Ø10mm
- > Article No : 0096



CN-19

> Life Line

- > Standard : **CE**
- > Size : Ø10mm
- > Article No : 0097



CN-20

> Life Line

- > Standard : EN 353/2 EN 362 **CE**
- > Size : Ø14mm
- > Article No : 0098



DMN

> Webbing Lanyard

- > Standard : EN 362 **CE**
- > Size : Ø45mm, 1.20m, 1.5cm
- > Article No : 504



DMN L

> Webbing Lanyard

- > Standard : EN 362 
- > Size : Ø45mm, 1.20cm, 1.5cm
- > Article No : 505



DMN 1

> Rope lanyard

- > Standard : EN 354 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 506



DMN 2

> Rope lanyard

- > Standard : EN 354 EN 362 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 507



DMN 3

> Rope lanyard

- > Standard : EN 354 EN 362 EN 355 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 508



DMN 4

> Rope lanyard

- > Standard : EN 354 EN 362 EN 355 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 509



DMN 5

> Rope lanyard

- > Standard : EN 354 EN 355 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 510



DMN 6

> Rope lanyard

- > Standard : EN 362 EN 355 
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 511



DMN 7

> Rope lanyard

- > Standard : EN 354 EN 362 EN 355 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 512



DMN 8

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 513



DMN 9

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 514



DMN 10

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 515



DMN 10A

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 515-A



DMN 10B

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 515-B



DMN 10C

> Rope lanyard

- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 515-C




DMN 10D


> Rope lanyard


- > Standard : EN 354 EN 362 **CE**
- > Size : 1.20m, 1.5m, Ø12mm, Ø16mm
- > Article No : 515-D











CN-16

> Safety rope twisted

> Standard : **CE**

> Size : 25, 50, 75, 100m,
Ø12mm, Ø14mm, Ø16mm

> Strenght : Ø12mm./3000
kg/daN Ø14mm./4000

Ø16mm./4500

> Materyal : %100 Polyester

> Article No : 0099

CN-17

> Safety rope twisted

> Standard : **CE**

> Size : 25, 50, 75, 100m,
Ø12mm, Ø14mm, Ø16mm

> Strenght : Ø12mm./3000
kg/daN Ø14mm./4000

Ø16mm./5500

> Materyal : %100 Polyester

> Article No : 0100

SAFETY ROPE



safety ropes



DÜĞÜM-YR

- › Safety rope braided
- › Standard : CE
- › Size : Ø2,3,4,5,6,7,8mm
- › Materyal : Polyamid, Polyester
- › Article No : 0101



DÜĞÜM-SH

- › Static rope
- › Standard : EN 1891 CE
- › Size : Ø8, 9, 10, 10.5, 11mm
- › Materyal : Polyester
- › Article No : 0103



DÜĞÜM-DH

- › Dynamic rope EN 892
- › Standard : EN 892, UIAA, TUV CE
- › Size : Ø9, 10, 10.5, 11mm
- › Materyal : Polyamid
- › Article No : 0102



DÜĞÜ-BH

> Accessory cords

> Standard : **CE**

> Size : 200m,
Ø6mm, Ø8mm, Ø10mm
Ø12mm, Ø14mm
Ø16mm, Ø18mm
Ø10

> Materyal : %100 Polyester

> Article No : 0104



DÜĞÜ-CHÖ

> Safety rope braided

> Standard : **CE**

> Size : 200m,
Ø12mm, Ø14mm
Ø16mm.

> Strenght : Ø12mm./3000
kg/daN Ø14mm./4000
Ø16mm./5500

> Materyal : %100 Polyester

> Article No : 0105

DÜĞÜ-CHÜ

> Safety rope twisted

- > Standard : **CE**
- > Size : 200m,
Ø12mm, Ø14mm
Ø16mm.
- > Strength : Ø12mm./3000
kg/daN Ø14mm./4000
Ø16mm./4500
- > Material : %100 Polyester
- > Article No : 0106





KNOT-OZY-09

> Stell carabine

- > Standard : En 362 
- > Min Breaking : 22kN
strenght
- > Ø : 17mm
- > Article No : 0107

KNOT-OZY-10

> Stell carabine

- > Standard : En 362 
- > Min Breaking : 22kN
strenght
- > Ø : 16mm
- > Article No : 0108

KNOT-OZY-11

> Stell carabine

- > Standard : En 362 
- > Min Breaking : 22kN
strenght
- > Ø : 26mm
- > Article No : 0109



KNOT-OZY-12

> Stell carabine

- > Standard : En 362 
- > Min Breaking : 22kN
strenght
- > Ø : 21mm
- > Article No : 0110



KNOT-OZY-13

> Stell carabine

- > Standard : En 362 
- > Min Breaking : 50kN
strenght
- > Ø : 23mm
- > Article No : 0111



KNOT-OZY-16

> Stell snap hook

- > Standard : En 362 
- > Min Breaking : 22kN
strenght
- > Ø : 18mm
- > Article No : 0112

STEEL CONNECTORS



steel connectors

KNOT-OZY-18 C

> Stel scaffold hook

- > Standard : En 362 **CE**
- > Min Breaking : 22kN strenght
- > Ø : 50mm
- > Article No : 0113

KNOT-OZY-20

> Stel tower hook

- > Standard : En 362 **CE**
- > Min Breaking : 20kN strenght
- > Ø : 85mm
- > Article No : 0114

KNOT-OZY-20 Y

> Anchorege hook

- > Standard : En 362 **CE**
- > Min Breaking : 20kN strenght
- > Ø : 125mm
- > Article No : 0115

KNOT-OZY-16 F

> Stel swivel snap hook

- > Standard : En 362 **CE**
- > Min Breaking : 23kN strenght
- > Ø : 21mm
- > Article No : 0116



HLK-01

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0117



HLK-02

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0118



HLK-03

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0119



HLK-04

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0120



HLK-05

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0121



HLK-06

> Stell carabine

- > Standard : En 362 **CE**
- > Min Breaking : 25kN strenght
- > Article No : 0122



KNOT-OZY-15

> Aluminium carabines

- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 18 mm
- > Article No : 0123



KNOT-OZY-14

> Aluminium carabines

- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 22 mm
- > Article No : 0124



KNOT-OZY-20 0

> Aluminium carabines

- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 22 mm
- > Article No : 0125



KNOT-OZY-17

> Aluminium carabines

- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 17 mm
- > Article No : 0126



KNOT-OZY-18

> Aluminium carabines


- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 60 mm
- > Article No : 0127



KNOT-OZY-19

> Aluminium carabines

- > Standard : En 362 **CE**
- > Min Breaking : 25kN
strenght
- > Ø : 110 mm
- > Article No : 0128







KNOT OZY-00 (EXPRESS)

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0129



KNOT OZY-01

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0130



KNOT OZY-02 (HMS CARABINE)

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0131



KNOT OZY-03

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0132



KNOT OZY-04

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0133



KNOT OZY-05

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0134



KNOT OZY-06

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0135



KNOT OZY-07

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0136



KNOT OZY-08

- › **Aluminium Carabine**
- › Standard : En 362 **CE**
- › Min Breaking : 25kN
strenght
- › Article No : 0137

CLIMBING EQUIPMENT



climbing equipment



FRT-NUR 9

> Pulley

- > Standard : En 12278 **CE**
- > Size : Ø 12mm, 14mm, 16mm
- > Article No : 0138



FRT-NUR 10

> Pulley

- > Standard : En 12278 **CE**
- > Size : Ø 10.5mm, 11mm, 12mm
- > Article No : 0139



> Pulley

- > Standard : En 12278 **CE**
- > Size : Ø 12mm, 14mm, 16mm
- > Article No : 0140



FRT-NUR 12

> Aluminium Carabine

- > Standard : EN 362, 12275 **CE**
- > Size : 22 kN
- > Article No : 0141



FRT-NUR 13

> Aluminium Carabine

- > Standard : EN 362, 12275 **CE**
- > Size : 22 kN
- > Article No : 0142



FRT-NUR 14

> Aluminium Carabine

- > Standard : EN 362, 12275 **CE**
- > Size : 22 kN
- > Article No : 0143



FRT-NUR 15

> Aluminium Carabine

- > Standard : EN 362, 12275 **CE**
- > Size : 23 kN
- > Article No : 0144



FRT-NUR 16

> Aluminium Carabine

- > Standard : EN 362, 12275 **CE**
- > Size : 23 kN
- > Article No : 0145



FRT-NUR 17

> Aluminium Carabine

- > Standard : EN 362 **CE**
- > Size : 22 kN
- > Article No : 0146



FRT-NUR 1

> Stop decender (PETZL)

- > Standard : EN 341D-EN 12841 **CE**
- > Size : Ø 10mm., 11mm., 13mm.,
- > Article No : 0147



FRT-NUR 2

> Self braking descender (PETZL)

- > Standard : EN 341-EN 12841 **CE**
- > Size : Ø 10mm., 11.5mm., 13mm.
- > Article No : 0148



FRT-NUR 3

> ASAP (PETZL)

- > Standard : EN 353-EN 12841 **CE**
- > Size : Ø 10mm to 13mm
- > Article No : 0149



FRT-NUR 4

> Ascender

- > Standard : EN 367 **CE**
- > Size : Ø 10,5mm., 11mm., 12mm.
- > Article No : 0150



FRT-NUR 5L

> Handled ascender

- > Standard : EN 367-EN 12841 **CE**
- > Size : Ø 10,5mm., 11mm., 12mm.
- > Article No : 0151



FRT-NUR 5R

> Handled ascender

- > Standard : EN 367-EN 12841 **CE**
- > Size : Ø 10,5mm., 11mm., 13mm.
- > Article No : 0152



FRT-NUR 6

> Figure eight

- > Standard : EN 12278 **CE**
- > Size : Ø 8mm. to 13mm
- > Article No : 0153



FRT-NUR 7

> ATC

- > Standard : **CE**
- > Size : Ø 8mm. to 13mm
- > Article No : 0154



FRT-NUR 8

> Swivel

- > Standard : **CE**
- > Size : 22kN
- > Article No : 0155



FRT-OZY-23

> Rope grabs

- > Standard : EN 353/2 
- > Ø : 12, 16mm
- > Article No : 0156



FRT-OZY-24

> Rope grabs

- > Standard : EN 353/2 
- > Ø : 12mm
- > Article No : 0157



FRT-OZY-22

> Cable Rope grabs

- > Standard : EN 353/2 
- > Ø : 8mm
- > Article No : 0158



CLB A

> Article No : 0159



CLB B

> Article No : 0160



CLB 01

> Article No : 0161



CLB 02

> Article No : 0162



CLB 03

> Article No : 0163



CLB 04

> Article No : 0164



CLB 05

> Article No : 0165



CLB 06

> Article No : 0166



CLB 07

> Article No : 0167



CLB 08

> Article No : 0168



CLB 09

> Article No : 0169



CLB 10

➤ Article No : 0170



CLB 11

➤ Article No : 0171



CLB 12

➤ Article No : 0172



CLB 13

➤ Article No : 0173



CLB 14

➤ Article No : 0174



CLB 15

➤ Article No : 0175



CLB 16

➤ Article No : 0176



CLB 17

➤ Article No : 0177



CLB 18

➤ Article No : 0178



CLB 19

➤ Article No : 0179



CLB 20

➤ Article No : 0180



CLB 21

➤ Article No : 0181



CLB 22

➤ Article No : 0182



CLB 23

➤ Article No : 0183



CLB 24

➤ Article No : 0184



CLB 25

➤ Article No : 0185



CLB 26

➤ Article No : 0186



CLB 27

➤ Article No : 0187



CLB 28

➤ Article No : 0188



CLB 29

> Article No : 0189



CLB 30

> Article No : 0190



CLB 31

> Article No : 0191



CLB 32

> Article No : 0192



CLB 33

> Article No : 0193



CLB 34

> Article No : 0194



ÖZK - 19

> Sapan


> Article No : 0195



ÖZK - 20

> Sapan

> Article No : 0196



FDT-NUR 18

> Article No : 0197



FDT-NUR 19

> Article No : 0198



FDT-NUR 20

> Article No : 0199




FDT-NUR 21

> Article No : 0200



FDT-NUR 22

> Article No : 0201



FDT-NUR 23

> Article No : 0202



FDT-NUR 24

> Article No : 0203



FDT-NUR 25


> Article No : 0204



FDT-NUR 26

> Article No : 0205

Example:



Life DKİ

> life line

> Article No : 516





ALK-125

> Door anchor


- > Standard : CE
- > Size : 125xcm
- > Materyal : 40x40 progile
- > Article No : 0212



KNOT-FU 8

> Fall arrester

- > Standard : En 353-1 
- > Size : Ø8mm steel
- > Article No : 0213



ÖZK - 22

> Canvas

> Size : a 140x100 PCV
b 200x300x400 synteticsack
c 100x200x300 synteticsack

> Article No : 0214

GENERAL EQUIPMENT



general equipment



ÖZK-18

> Rope ladder

- > Standard : CE
- > Size : 10, 15, 20m.
- > Materyal : Ø18mm. naturel
- > Article No : 0216



ÖZK-12

> Rope ladder

- > Standard : CE
- > Size : 10, 15, 20m.
- > Materyal : Ø12mm. aluminium
poliester
- > Article No : 0215

TRH-8

> Leathercraft

- > Materyal : Naturel
- > Size : 30mm, 40mm
- > Article No : 517



KNOT BAG

- > Article No : 0219



TRH-5

> Leathercraft

- > Materyal : Naturel
- > Size : 20mm, 30mm
- > Article No : 518



ÖZK-23

> Leathercraft

- > Materyal : Polyester
- > Article No : 0217



ÖZK-21

> Rope ladder

- > Standard : CE
- > Size : 1,2,3,4,5m.
- > Materyal : Polyester
- > Article No : 0218



BTI-MAGIC

> Helmet

CE

- > Standard : EN 397 DIN-EN 12492
- > Article No : 0236



BTI-MOUSE

> Helmet

CE

- > Standard : EN 397 DIN-EN 12492
- > Article No : 0237



BTI-6234

> Helmet

CE

- > Standard : EN 397
- > Article No : 0240



ig

> Helmet

CE

- > Standard : EN 397
- > Article No : 0238



EF-2

> Safety Helmet

CE

- > Standard : EN 812, EN 1997
- > Article No : 0239

SAFETY NET





safety net







safety net





safety net





safety net







safety net






safety net







SAFETY NET







safety net





safety net





K-UMT

> Heavy lifting net


- > Standard : 5x5, 6x6, 7x7, 8x8
- > Materyal : Ø 30 nylon
- > Article No : 0241



K-UMT 45

> Climbing net

- > Size : 1x1, 2x2, 3x3
- > Materyal : Polyester
- > Article No : 519



K-UMT 12


> Climbing net

- > Size : 1x1, 1x2, 2x2
- > Materyal : Polyester
- > Article No : 520

2-Kız

> Lifting net

- > Size : 2x2, 3x2, 4x4
- > Materyal : Ø 18 nylon
- > Article No : 0242



PYZ

> Carto net

- > Size : 2x2, 2,5x2,5
- > Materyal : Ø 45mm polyester
- > Article No : 0243

Decoration net



sportive net





game park net







game park net







event park



DECORATION NET



decoration net





MERKEZ DEPO

**KNOT YAPI VE İŞ GÜVENLİĞİ
SAN. TİC. LTD. ŞTİ**

Cumhuriyet Mah. Çetin Sok. No: 4 Kat: 1-2
Kartal/İSTANBUL-TÜRKİYE

Tel: +90 216 377 13 13

Fax: +90 216 377 54 44

E-mail: info@knot.com.tr



FABRİKA

**KNOT YAPI VE İŞ GÜVENLİĞİ
SAN. TİC. LTD. ŞTİ**

Hamidabat Köyü Çayırılık Koru Boyu Mevkii
Lüle Burgaz Kırklareli-TÜRKİYE

Tel: +90 288 473 40 20-21

Fax: +90 288 473 40 10

E-mail: info@knot.com.tr

